




Letter to Editor

We See Ourselves as a Part of the Healthcare Team: Involving Patients and Their Caregivers in the Prevention of Hospital-acquired Pressure Injuries



Nader Aghakhani¹ , Rahim Nejadrahim² , Pedram Abolfathpour^{1*} 

1. Food and Beverages Safety Research Center, Urmia University of Medical Sciences, Urmia, Iran.

2. Department of Infectious Diseases and Dermatology, School of Medicine, Urmia University of Medical Sciences, Urmia, Iran.



Citation Aghakhani, N., Nejadrahim, R. & Abolfathpour P., 2025. We See Ourselves as a Part of the Healthcare Team: Involving Patients and Their Caregivers in the Prevention of Hospital-acquired Pressure Injuries. *Journal of Client-Centered Nursing Care*, 11(1), pp. 1-4. <https://doi.org/10.32598/JCCNC.11.1.614>

 <https://doi.org/10.32598/JCCNC.11.1.614>

Article info:

Received: 12 May 2024

Accepted: 05 Nov 2024

Published: 01 Feb 2025

Keywords:

Healthcare team, Patient participation, Family caregivers, Prevention, Pressure injuries

ABSTRACT

Hospital-acquired pressure injuries are among the preventable complications in healthcare settings. Patients and their caregivers should be encouraged to actively participate in the prevention and treatment of these ulcers and follow evidence-based guidelines to improve healthcare outcomes and the safety of the patient. This requires that healthcare professionals support the education of preventive measures.

* Corresponding Author:

Pedram Abolfathpour

Address: Food and Beverages Safety Research Center, Urmia University of Medical Sciences, Urmia, Iran.

Tel: 044 (32) 754016

E-mail: Abolfathpourpedram@yahoo.com



Copyright © 2025 The Author(s);
This is an open access article distributed under the terms of the Creative Commons Attribution License (CC-BY-NC: <https://creativecommons.org/licenses/by-nc/4.0/legalcode.en>), which permits use, distribution, and reproduction in any medium, provided the original work is properly cited and is not used for commercial purposes.

Highlights

- Healthcare professionals frequently encounter challenges in preventing hospital-acquired pressure injuries.
- The focus has now shifted to involving patients and their caregivers in the treatment of these ulcers, as well as following evidence-based guidelines to enhance healthcare outcomes.
- Evidence-based guidelines with a focus on health care outcomes, treatment adherence, and patient safety play an important role in engaging patients and their caregivers in the prevention and treatment of pressure injuries.

Plain Language Summary

The present editorial highlights the challenge for healthcare professionals in teaching preventive measures for hospital-acquired pressure injuries and emphasizes the importance of involving patients and their caregivers in following evidence-based guidelines to improve clinical outcomes.

Dear Editor

Pressure injuries are the most common adverse effect of shear and pressure in the hospital. Pressure ulcers usually occur on a bony prominence in hospitals and pose a risk to patient safety. These injuries indicate poor health care quality. Pressure injuries are a major burden especially for older people, immobile patients with neurological deficits or severe acute illness and their caregivers. They diminish the social, psychological, financial, and physical aspects of quality of life (Rutherford et al., 2018).

Since hospital-acquired pressure injuries are generally avoidable, hospitals and healthcare providers have focused on reducing their incidence. Most of the risk factors for pressure injuries cannot be easily corrected in a short period of time. In addition, the nursing shortage is an issue that leads to a reduction in the duration of patient care (Rosenberg, 2019) and as a result, an increase in the likelihood of pressure ulcers. Current guidelines for the care of pressure injuries provide recommendations for clinical practice, some of which have been shown to effectively reduce the incidence of the problem. Early detection of patients at risk is a key step towards prevention. On the other hand, interventions can be expensive, time-consuming, and may not be effective if patients and their caregivers are not engaged in preventive care programs (Gaspar et al., 2021).

Pressure injuries have a detrimental effect on an individual's physical, psychological, social, and financial well-being. Empowering family caregivers is essential to prevent wounds, improve care outcomes, promote

treatment adherence and implement evidence-based practice guidelines in health care settings (Antony et al., 2022). Patients and their caregivers can participate in solving patient safety problems by actively sharing their feelings, providing information, and following the instructions of the healthcare team. Empowering patients to address their health issues and their participation in treatment decisions, as well as adherence to defined treatment plans, improves treatment outcomes. Before involving patients and their caregivers, a needs assessment should be conducted to clearly define their role in the process (Righi et al., 2020).

Despite the understanding that patient participation in care can be an effective strategy for preventing pressure injuries, and most patients prefer to play an active role in this process, barriers have been identified that make it difficult for them to participate in the prevention and care of these wounds. However, in the latest international practice guidelines, patients and their caregivers are encouraged to play an active role in the prevention and treatment of pressure injuries. This includes self-directed learning, as well as working with the healthcare team to make informed, evidence-based decisions (García-Sánchez et al., 2019).

Patient participation in hospital-acquired pressure injury treatment and care programs improves healthcare outcomes, and treatment adherence, and positively increases patient safety in healthcare settings. Ensuring that the patients understand their condition and their need for preventive approaches, and assessing their motivation, resources, and ability to act in concordance with the care plan is essential in facilitating therapeutic activities. Clinical professionals should aid in train-

ing the patients and their relatives to prevent any skin breakdown in high-risk cases. Therefore, the patients and their caregivers should participate in decisions associated with the planning, implementation, and evaluation of their treatment process as their legal rights and health professionals should strive for this goal.

Ethical Considerations

The paper is based only on the authors' reflections and does not include hospital data.

Funding:

No funding was received for this manuscript.

Authors' Contributions:

All the authors have equally contributed to the design, implementation, and writing of the manuscript.

Conflict of Interest

No potential conflict of interest relevant to this article was reported.

Acknowledgments

We thank the authors of the articles used in this letter.

References

- Antony, L., Thelly, A. S. & Mathew, J. M., 2023. Evidence-based clinical practice guidelines for caregivers of palliative care patients on the prevention of pressure ulcer. *Indian Journal of Palliative Care*, 29(1), pp. 75–81. [DOI:10.25259/IJPC_99_2022] [PMID]
- García-Sánchez, F. J., Martínez-Vizcaino, V. & Rodríguez-Martín, B., 2019. Patients' and caregivers' conceptualisations of pressure injuries and the process of decision-making in the context of home care. *International Journal of Environmental Research and Public Health*, 16(15), pp. 2719. [DOI:10.3390/ijerph16152719] [PMID]
- Gaspar, S., et al., 2022. Hospital-acquired pressure injuries prevention: What is needed for patient safety? The perceptions of nurse stakeholders. *Scandinavian Journal of Caring Sciences*, 36(4), pp. 978–87. [DOI:10.1111/scs.12995] [PMID]
- Righi, L., et al., 2020. Effects of a pressure-ulcer audit and feedback regional program at 1 and 2 years in nursing homes: A prospective longitudinal study. *Plos One*, 15(5), pp. 0233471. [DOI:10.1371/journal.pone.0233471] [PMID]
- Rosenberg, K., 2019. RN shortages negatively impact patient safety. *AJN, American Journal of Nursing*, 119(3), pp. 51. [DOI:10.1097/01.NAJ.0000554040.98991.23]
- Rutherford, C., et al., 2018. A patient-reported pressure ulcer health-related quality of life instrument for use in prevention trials (PU-QOL-P): Psychometric evaluation. *Health and Quality of Life Outcomes*, 16(1), pp. 227. [DOI:10.1186/s12955-018-1049-x] [PMID]

This Page Intentionally Left Blank